

Certificate of Compliance

Certificate Number:
E513113

Report Reference:
E513113-20250523

Issue Date:
2025-MAY-23

Issued to:

**HEFEI ELECMAN ELECTRICAL LTD
No.2310, Tower D, Weilan Business Port
Government District Hefei, Anhui 230000
China**

This certificate confirms that representative samples of:
CONDUIT FITTINGS

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 514B & CSA C22.2 No. 18.3-12 - Conduit, Tubing, and Cable Fittings,
,

Additional Information:

See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number(s) E513113
Report reference E513113-20250522
Date 2025-MAY-23

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Products Covered	Product Designation	Nomenclature
Liquid-tight Flexible Metal Conduit Connectors – 45 degree	MLTF038	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 45 degree	MLTF038I	
Liquid-tight Flexible Metal Conduit Connectors – 45 degree	MLTF050	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 45 degree	MLTF050I	
Liquid-tight Flexible Metal Conduit Connectors – 45 degree	MLTF075	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 45 degree	MLTF075I	
Liquid-tight Flexible Metal Conduit Connectors – 45 degree	MLTF100	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 45 degree	MLTF100I	
Liquid-tight Flexible Metal Conduit Connectors – 45 degree	MLTF125	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 45 degree	MLTF125I	
Liquid-tight Flexible Metal Conduit Connectors – 45 degree	MLTF150	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 45 degree	MLTF150I	
Liquid-tight Flexible Metal Conduit Connectors – 45 degree	MLTF200	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 45 degree	MLTF200I	
Liquid-tight Flexible Metal Conduit Connectors – 45 degree	MLTF250	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 45 degree	MLTF250I	
Liquid-tight Flexible Metal Conduit Connectors – 45 degree	MLTF300	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 45 degree	MLTF300I	
Liquid-tight Flexible Metal Conduit Connectors – 45 degree	MLTF350	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 45 degree	MLTF350I	
Liquid-tight Flexible Metal Conduit Connectors – 45 degree	MLTF400	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 45 degree	MLTF400I	
Liquid-tight Flexible Metal Conduit Connectors – 90 degree	MLTN038	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 90 degree	MLTN038I	
Liquid-tight Flexible Metal Conduit Connectors – 90 degree	MLTN050	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 90 degree	MLTN050I	
Liquid-tight Flexible Metal Conduit Connectors – 90 degree	MLTN075	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 90 degree	MLTN075I	
Liquid-tight Flexible Metal Conduit Connectors – 90 degree	MLTN100	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 90 degree	MLTN100I	
Liquid-tight Flexible Metal Conduit Connectors – 90 degree	MLTN125	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 90 degree	MLTN125I	
Liquid-tight Flexible Metal Conduit Connectors – 90 degree	MLTN150	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 90 degree	MLTN150I	
Liquid-tight Flexible Metal Conduit Connectors – 90 degree	MLTN200	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 90 degree	MLTN200I	
Liquid-tight Flexible Metal Conduit Connectors – 90 degree	MLTN250	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 90 degree	MLTN250I	
Liquid-tight Flexible Metal Conduit Connectors – 90 degree	MLTN300	



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s) E513113
Report reference E513113-20250522
Date 2025-05-23

Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 90 degree	MLTN300I	
Liquid-tight Flexible Metal Conduit Connectors – 90 degree	MLTN350	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 90 degree	MLTN350I	
Liquid-tight Flexible Metal Conduit Connectors – 90 degree	MLTN400	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat – 90 degree	MLTN400I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	MLTS038	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	MLTS038I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	MLTS050	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	MLTS050I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	MLTS075	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	MLTS075I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	MLTS100	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	MLTS100I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	MLTS125	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	MLTS125I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	MLTS150	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	MLTS150I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	MLTS200	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	MLTS200I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	MLTS250	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	MLTS250I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	MLTS300	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	MLTS300I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	MLTS350	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	MLTS350I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	MLTS400	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	MLTS400I	
Liquid-tight Flexible Metal Conduit Connectors ? 45 degree	S-MLTF038	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat– 45 degree	S-MLTF038I	
Liquid-tight Flexible Metal Conduit Connectors ? 45 degree	S-MLTF050	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat– 45 degree	S-MLTF050I	
Liquid-tight Flexible Metal Conduit Connectors ? 45 degree	S-MLTF075	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat– 45 degree	S-MLTF075I	
Liquid-tight Flexible Metal Conduit Connectors ? 45 degree	S-MLTF100	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat– 45 degree	S-MLTF100I	
Liquid-tight Flexible Metal Conduit Connectors ? 45 degree	S-MLTF125	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat– 45 degree	S-MLTF125I	
Liquid-tight Flexible Metal Conduit Connectors ? 45 degree	S-MLTF150	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat– 45 degree	S-MLTF150I	
Liquid-tight Flexible Metal Conduit Connectors ? 45 degree	S-MLTF200	



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number(s) E513113
Report reference E513113-20250522
Date 2025-05-23

Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 45 degree	S-MLTF200I	
Liquid-tight Flexible Metal Conduit Connectors ? 90 degree	S-MLTN038	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	S-MLTN038I	
Liquid-tight Flexible Metal Conduit Connectors ? 90 degree	S-MLTN050	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	S-MLTN050I	
Liquid-tight Flexible Metal Conduit Connectors ? 90 degree	S-MLTN075	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	S-MLTN075I	
Liquid-tight Flexible Metal Conduit Connectors ? 90 degree	S-MLTN100	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	S-MLTN100I	
Liquid-tight Flexible Metal Conduit Connectors ? 90 degree	S-MLTN125	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	S-MLTN125I	
Liquid-tight Flexible Metal Conduit Connectors ? 90 degree	S-MLTN150	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	S-MLTN150I	
Liquid-tight Flexible Metal Conduit Connectors ? 90 degree	S-MLTN200	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	S-MLTN200I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	S-MLTS038	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	S-MLTS038I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	S-MLTS050	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	S-MLTS050I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	S-MLTS075	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	S-MLTS075I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	S-MLTS100	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	S-MLTS100I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	S-MLTS125	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	S-MLTS125I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	S-MLTS150	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	S-MLTS150I	
Liquid-tight Flexible Metal Conduit Connectors - Straight	S-MLTS200	
Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	S-MLTS200I	



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

